

Towards a semantic representation of Egyptian demonology: requirements and benchmark study

Bruno Sartini (he/him)
LMU University of Munich


b.sartini@lmu.de

Rita Lucarelli


University of California Berkeley

rita.lucarelli@berkeley.edu

-SEMDH2024-



Demonology and Egyptian Demons



rmt
ntr  *mwt*
?

Lucarelli (2010)

Demonology and Egyptian Demons



- Limited Literature
- Lack of a standard

Demonology and Egyptian Demons

- Lack of a standard

Opportunity to
make the standard
directly in LOD

Objectives



FORMULATING THE
ONTOLOGICAL
REQUIREMENTS TO
DESCRIBE EGYPTIAN
DEMONS



ASSESSING THE
COVERAGE OF
EXISTING
ONTOLOGIES OVER
THOSE
REQUIREMENTS

1st Objective steps

FORMULATING THE
ONTOLOGICAL
REQUIREMENTS TO
DESCRIBE EGYPTIAN
DEMONS

1. Literature analysis
2. Data driven analysis
3. Formulation of requirements from the previous analyses
4. Formulation of competency questions based on those requirements

1st Objective steps

FORMULATING THE
ONTOLOGICAL
REQUIREMENTS TO
DESCRIBE EGYPTIAN
DEMONS

1. Literature analysis

Starting Point: Publications suggested by a domain expert

Expanded with queries to publication hubs (google scholar, semantic scholar...)

Lucarelli, 2010a

Lucarelli, 2010b

Lucarelli, 2017

Hammad, 2018

Szpakowska, 2009

Kousoulis, 2013

1st Objective steps

FORMULATING THE
ONTOLOGICAL
REQUIREMENTS TO
DESCRIBE EGYPTIAN
DEMONS

1. Literature analysis

Demons are divided in two main categories according to their roles, guardians and wanderers.

Guardian demons: iconic representation, benevolent or malevolent, related to funerary events

Wanderer demons: aniconic, malevolent, related to diseases, plagues...

Both: can be found in ancient texts, coffins, temple walls...
Their name is linked to either their attitude or to their physical characteristics

"The toxic one"

"The three-faced one"

1st Objective steps

FORMULATING THE
ONTOLOGICAL
REQUIREMENTS TO
DESCRIBE EGYPTIAN
DEMONS

2. Data driven analysis

Ancient Egyptian Demonology Project: Second Millennium BC
Welcome to DemonBase: Online Catalogue of Ancient Egyptian Supernatural Beings



About the project

DemonBase
<http://iss-demonology.swan.ac.uk/demonology/>

Entity Ref. #	Name	Appearance Pose	Head	Upper Torso	Lower Torso	Image
1259	Burning one, Asb(w)	Not specified	Flame	Flame	Flame	  Object #12 Details

Details

- Entity Ref. #: 1259
- Book of the Dead Chapter Number:
- Coffin Text Spell Number: 1039
- Description:
- Costume: Not specified
- Headgear: Not specified
- Holding: Not specified
- Pose: Not specified
- Gesture: Not specified

- Relational Database about demons
- Contains information on more than 3800 demons and the information media in which they are described and/or depicted

1st Objective steps

FORMULATING THE
ONTOLOGICAL
REQUIREMENTS TO
DESCRIBE EGYPTIAN
DEMONS

2. Data driven analysis



Extracted the whole database via scraping


Takeaways:

- Demons are described iconographically in separate body parts (head, body, lower body)
- The objects they hold and their costumes are also highlighted

1st Objective steps

FORMULATING THE
ONTOLOGICAL
REQUIREMENTS TO
DESCRIBE EGYPTIAN
DEMONS

3. Requirements formulation



1st Objective steps

3. Requirements formulation

Table 1: Requirements for the knowledge representation of Egyptian Demons, associated with the sources that mention them

Requirement	Source						
	Hammad (2018) [10]	Kousoulis (2011) [5]	Lucarelli (2010a) [4]	Lucarelli (2010b) [11]	Lucarelli (2017) [13]	Szpakowska (2009) [12]	DemonThings
Name	V	V	V	V	V	V	V
Name Function	V	V	V	V	V	V	X
Name Transliteration	V	X	V	V	V	V	X
Name Hieroglyph	V	X	V	V	X	X	X
Demon Type (Guardian and Wanderer)	V	X	V	V	V	V	X
Guardian Demon Roles (doorkeeper, herald, etc.)	V	X	X	V	X	X	X
Demon Gender	V	X	V	X	V	V	X
Demon funerary role	V	V	V	V	V	V	X
Epithets representation	V	V	V	V	V	V	X
Pictorial Representation	V	V	V	V	V	V	V
Pose	X	X	X	X	X	X	V
Gesture	X	X	X	X	X	X	V
Headgear	X	X	X	X	X	X	V
Costume	X	X	X	X	X	X	V
Body Characteristics	V	V	V	V	V	V	V
Head Characteristics	X	X	V	V	X	X	V
Upper Body Characteristics	X	X	V	V	X	X	V
Lower Body Characteristics	X	X	V	V	X	X	V
Held Items	V	X	V	V	X	V	V
Symbolism of held items	V	X	V	V	X	V	X
Classification of demons based on body characteristics	V	V	V	V	V	V	X
Medium Context of the representation	V	X	V	V	V	V	V
Medium Context: temple walls	V	X	V	V	V	V	V
Medium Context: spells (i.e., Book of the Dead)	V	X	V	V	V	V	V
Medium Context: Mortuary objects	V	X	V	V	V	V	V

1st Objective steps

3. Requirements formulation

Table 1: Requirements for the knowledge representation of Egyptian Demons, associated with the sources that mention them

Requirement	Source						
	Hammad (2018) [10]	Kousoulis (2011) [5]	Lucarelli (2010a) [4]	Lucarelli (2010b) [11]	Lucarelli (2017) [13]	Szpakowska (2009) [12]	DemonThings
Name	V	V	V	V	V	V	V
Name Function	V	V	V	V	V	V	X
Name Transliteration	V	X	V	V	V	V	X
Name Hieroglyph	V	X	V	V	X	X	X
Demon Type (Guardian and Wanderer)	V	X	V	V	V	V	X
Guardian Demon Roles (doorkeeper, herald, etc.)	V	X	X	V	X	X	X
Demon Gender	V	X	V	X	V	V	X
Demon funerary role	V	V	V	V	V	V	X
Epithets representation	V	V	V	V	V	V	X
Pictorial Representation	V	V	V	V	V	V	V
Pose	X	X	X	X	X	X	V
Gesture	X	X	X	X	X	X	V
Headgear	X	X	X	X	X	X	V
Costume	X	X	X	X	X	X	V
Body Characteristics	V	V	V	V	V	V	V
Head Characteristics	X	X	V	V	X	X	V
Upper Body Characteristics	X	X	V	V	X	X	V
Lower Body Characteristics	X	X	V	V	X	X	V
Held Items	V	X	V	V	X	V	V
Symbolism of held items	V	X	V	V	X	V	X
Classification of demons based on body characteristics	V	V	V	V	V	V	X
Medium Context of the representation	V	X	V	V	V	V	V
Medium Context: temple walls	V	X	V	V	V	V	V
Medium Context: spells (i.e., Book of the Dead)	V	X	V	V	V	V	V
Medium Context: Mortuary objects	V	X	V	V	V	V	V

1st Objective steps

3. Requirements formulation

Table 1: Requirements for the knowledge representation of Egyptian Demons, associated with the sources that mention them

Requirement	Source						
	Hammad (2018) [10]	Kousoulis (2011) [5]	Lucarelli (2010a) [4]	Lucarelli (2010b) [11]	Lucarelli (2017) [13]	Szpakowska (2009) [12]	DemonThings
Name	V	V	V	V	V	V	V
Name Function	V	V	V	V	V	V	X
Name Transliteration	V	X	V	V	V	V	X
Name Hieroglyph	V	X	V	V	X	X	X
Demon Type (Guardian and Wanderer)	V	X	V	V	V	V	X
Guardian Demon Roles (doorkeeper, herald, etc.)	V	X	X	V	X	X	X
Demon Gender	V	X	V	X	V	V	X
Demon funerary role	V	V	V	V	V	V	X
Epithets representation	V	V	V	V	V	V	X
Pictorial Representation	V	V	V	V	V	V	V
Pose	X	X	X	X	X	X	V
Gesture	X	X	X	X	X	X	V
Headgear	X	X	X	X	X	X	V
Costume	X	X	X	X	X	X	V
Body Characteristics	V	V	V	V	V	V	V
Head Characteristics	X	X	V	V	X	X	V
Upper Body Characteristics	X	X	V	V	X	X	V
Lower Body Characteristics	X	X	V	V	X	X	V
Held Items	V	X	V	V	X	V	V
Symbolism of held items	V	X	V	V	X	V	X
Classification of demons based on body characteristics	V	V	V	V	V	V	X
Medium Context of the representation	V	X	V	V	V	V	V
Medium Context: temple walls	V	X	V	V	V	V	V
Medium Context: spells (i.e., Book of the Dead)	V	X	V	V	V	V	V
Medium Context: Mortuary objects	V	X	V	V	V	V	V

1st Objective steps

FORMULATING THE
ONTOLOGICAL
REQUIREMENTS TO
DESCRIBE EGYPTIAN
DEMONS

3. Competency question formulation

21 CQs (32 total with subquestions)

CQ13 Which demons have been represented in a multimodal form?

CQ16.2-9 What is/are the poses/gestures/headgear/costume/head characteristics/upper body characteristics/lower body characteristics/held objects of the demons recognized in their pictorial representation?

2nd Objective steps

ASSESSING THE
COVERAGE OF EXISTING
ONTOLOGIES OVER
THOSE REQUIREMENTS

1. Ontology selection
2. Data conversion
3. Creation of additional data
4. Testing of the CQs on the data for correctness
5. Supervision of the results of a domain expert for specificity/granularity

2nd Objective steps

ASSESSING THE
COVERAGE OF EXISTING
ONTOLOGIES OVER
THOSE REQUIREMENTS

1. Ontology selection

Linked open vocabularies

(<https://lov.linkeddata.es/dataset/lov/>)

OntoHub (<https://ontohub.org/>)

Ontology design patterns

(<http://ontologydesignpatterns.org/>)

7 Ontologies

CIDOC-crm
(Bekiari et al. 2021)

Concept Terms DP
(Vandenbussche et al. 2009)


SKOS
(Miles et al. 2007)

ICON
(Sartini et al. 2023)

Simulation ontology
(Sartini et al. 2021)

Appearance ontology
(Warren et al. 2012)

Dublin core
(Kakali et al. 2007)



2nd Objective steps

ASSESSING THE
COVERAGE OF EXISTING
ONTOLOGIES OVER
THOSE REQUIREMENTS

3. Creation of additional data

Added custom demons that with information not provided by **DemonBase** just to test the **CQ**



Do not use the
RDF for
quantitative
analysis about
demons

2nd Objective steps

ASSESSING THE
COVERAGE OF EXISTING
ONTOLOGIES OVER
THOSE REQUIREMENTS

1. Data Conversion


Conversion of DemonBase to the structure
of the chosen ontologies using RDFLIB

Full doc:

<https://github.com/br0ast/egyptianDemonsBenchmarkStudy>

<https://github.com/br0ast/egyptianDemonsBenchmarkStudy/blob/main/CQtesting.ipynb>

Competency questions evaluation



Results of CQ evaluation

Symbolism, connection between demons and their gender and names

CQ17

What are the symbolic meanings of the objects held by the demons?

```
prefix ao: <http://rdf.muninn-project.org/ontologies/appearances#>
prefix cf: <http://sites.google.com/site/pierreyvesvandenbussche/resources/ConceptTerms.owl#>
prefix crm: <http://www.cidoc-crm.org/cidoc-crm/>
prefix dc: <http://purl.org/dc/elements/1.1/>
prefix dlod: <http://example.org/demonlod/>
prefix icon: <https://w3id.org/icon/ontology/>
prefix rdfs: <http://www.w3.org/2000/01/rdf-schema#>
prefix skos: <http://www.w3.org/2004/02/skos/core#>

SELECT distinct ?demon ?symbol ?symbolism where {
  ?infobj crm:P63_refers_to ?demon .
  ?rec icon:aboutWorkOfArt ?infobj ;
  icon:recognizedImage ?img .
  ?img icon:hasSymbol ?sim .
  ?sim sim:hasSimulacrum ?symbol ;
  sim:hasRealityCounterpart ?symbolism
}
LIMIT 10
```

```
(rdflib.term.URIRef('http://example.org/demonlod/demonINV3'), rdflib.term.URIRef('http://example.org/demonlod/knife'), rdflib.term.URIRef('http://example.org/demonlod/malevolence'))
```

Correct
and
specific

Demon types, media types, appearance types..

CQ18-20

Which demons have animal (18) human (19) hybrid (20) features?

```
prefix ao: <http://rdf.muninn-project.org/ontologies/appearances#>
prefix cf: <http://sites.google.com/site/pierreyvesvandenbussche/resources/ConceptTerms.owl#>
prefix crm: <http://www.cidoc-crm.org/cidoc-crm/>
prefix dc: <http://purl.org/dc/elements/1.1/>
prefix dlod: <http://example.org/demonlod/>
prefix icon: <https://w3id.org/icon/ontology/>
prefix rdfs: <http://www.w3.org/2000/01/rdf-schema#>
prefix skos: <http://www.w3.org/2004/02/skos/core#>
```

```
SELECT distinct ?demon where {
?demon crm:P2_has_type dlod:Hybrid}
LIMIT 10
```

```
(rdflib.term.URIRef('http://example.org/demonlod/demonINV2'),)
```

Correct
but not
specific

Specific iconography (head, lower body...), names transliterations, concepts connected to names

.6
CQ 16.1-16.9

What are the body characteristics of the demons recognized in their pictorial representation?

What is/are the poses/gestures/headgear/costume head characteristics/ upper body characteristics/lower body characteristics/held objects of the demons recognized in their pictorial representation?

```
prefix ao: <http://rdf.muninn-project.org/ontologies/appearances#>
prefix cf: <http://sites.google.com/site/pierreyvesvandenbussche/resources/ConceptTerms.owl#>
prefix crm: <http://www.cidoc-crm.org/cidoc-crm/>
prefix dc: <http://purl.org/dc/elements/1.1/>
prefix dlod: <http://example.org/demonlod/>
prefix icon: <https://w3id.org/icon/ontology/>
prefix rdfs: <http://www.w3.org/2000/01/rdf-schema#>
prefix skos: <http://www.w3.org/2004/02/skos/core#>
```

```
SELECT distinct ?demon ?other where {
?other a icon:NaturalElement .
?infobj crm:P67_refers_to ?demon .
?rec icon:aboutWorkOfArt ?infobj ;
icon:recognizedComposition ?comp .
?comp icon:hasPart ?am .
?am icon:hasFactualMeaning ?other .}
LIMIT 10
```

```
(rdflib.term.URIRef('http://example.org/demonlod/2956'), rdflib.term.URIRef('http://example.org/demonlod/armCrossedAtWaist'))
(rdflib.term.URIRef('http://example.org/demonlod/117'), rdflib.term.URIRef('http://example.org/demonlod/facingForwards'))
(rdflib.term.URIRef('http://example.org/demonlod/131'), rdflib.term.URIRef('http://example.org/demonlod/facingRight'))
(rdflib.term.URIRef('http://example.org/demonlod/3261'), rdflib.term.URIRef('http://example.org/demonlod/flexedStanceHandsOnNavel'))
(rdflib.term.URIRef('http://example.org/demonlod/4222'), rdflib.term.URIRef('http://example.org/demonlod/handInFrontOfFace'))
(rdflib.term.URIRef('http://example.org/demonlod/3264'), rdflib.term.URIRef('http://example.org/demonlod/killingEnemySmiting'))
(rdflib.term.URIRef('http://example.org/demonlod/2950'), rdflib.term.URIRef('http://example.org/demonlod/onHandsAndKnees'))
(rdflib.term.URIRef('http://example.org/demonlod/4222'), rdflib.term.URIRef('http://example.org/demonlod/reverseProtectionForWardHand'))
(rdflib.term.URIRef('http://example.org/demonlod/3313'), rdflib.term.URIRef('http://example.org/demonlod/smiting'))
(rdflib.term.URIRef('http://example.org/demonlod/3018'), rdflib.term.URIRef('http://example.org/demonlod/contactWithDeity'))
```

Wrong
and not
specific

Next Steps

- Searching for other ontologies which could fit better some of the requirements (i.e, transliterations)
- Creation of an ontology which specific demon classes
- Alignment of the ontology to the "not specific" ontologies, to ensure a degree of interoperability
- Re-running the conversion algorithm to DemonBase to create the first *accurate* knowledge graph about Egyptian Demons
- Enrich the data from more sources...

Reference

S

Kakali, C., Lourdi, I., Stasinopoulou, T., Bountouri, L., Papatheodorou, C., Doerr, M., & Gergatsoulis, M. (2007). Integrating Dublin Core Metadata for Cultural Heritage Collections Using Ontologies. *International Conference on Dublin Core and Metadata Applications, 2007*.
<https://doi.org/10.23106/dcmi.952108714>

R. Lucarelli, *Illness as Divine Punishment: The Nature and Function of the DiseaseCarrier Demons in the Ancient Egyptian Magical Texts*, BRILL, 2017, p. 53–60.
doi:10.1163/9789004338548_005.

R. Lucarelli, *The guardian-demons of the Book of the Dead*, *British Museum Studies in Ancient Egypt and Sudan* 15 (2010b) 85–102.

M. Hammad, *Demonic beings in ancient egypt*, *International Academic Journal Faculty of Tourism and Hotel Management* 4 (2018) 1–27. URL:
<http://dx.doi.org/10.21608/ijaf.2018.95495>.

R. Lucarelli, *Illness as Divine Punishment: The Nature and Function of the DiseaseCarrier Demons in the Ancient Egyptian Magical Texts*, BRILL, 2017, p. 53–60.
doi:10.1163/9789004338548_005.

Reference

S

P.-Y. Vandenbussche, J. Charlet, Conceptterms, in: Proceedings of the 2009 International Conference on Ontology Patterns - Volume 516, WOP'09, CEUR-WS.org, Aachen, DEU, 2009, p. 124–126.

Lucarelli, R. (2010a). Demons (benevolent and malevolent). *UCLA Encyclopedia of Egyptology*, 1(1). Retrieved from <https://escholarship.org/uc/item/1r72q9vv>

K. Szpakowska, Demons in ancient egypt, *Religion Compass* 3 (2009) 799–805. URL: <http://dx.doi.org/10.1111/j.1749-8171.2009.00169.x>. doi:10.1111/j.1749-8171.2009.00169.x.

P. Kousoulis, Egyptian demonology within the phylogenetic and polymorphic environment of the late period and ptolemaic egypt: Searching for modes of demonic conception, progression and praxis, *JAEL* December 2013 5 (2013). URL: http://dx.doi.org/10.2458/azu_jaei_v05i4_kousoulis. doi:10.2458/azu_jaei_v05i4_kousoulis

C. Bekiari, G. Bruseker, M. Doerr, C.-E. Ore, S. Stead, A. Velios, Definition of the cidoc conceptual reference model v7.1.1, 2021. doi:10.26225/FDZH-X261

Reference

S

B. Sartini, M. van Erp, A. Gangemi, Marriage is a peach and a chalice: Modelling cultural symbolism on the semantic web, in: Proceedings of the 11th on Knowledge Capture Conference, K-CAP '21, Association for Computing Machinery, New York, NY, USA, 2021, p. 201–208. URL: <https://doi.org/10.1145/3460210.3493552>. doi:10.1145/3460210.3493552.

A. Miles, J. R. Pérez-Agüera, Skos: Simple knowledge organisation for the web, *Cataloging & Classification Quarterly* 43 (2007) 69–83. doi:10.1300/j104v43n03_04.

R. Warren, A. Dean-Hall, Appearances ontology specification—0.1, 2012. URL: <http://rdf.muninn-project.org/ontologies/appearances.html>.

B. Sartini, S. Baroncini, M. van Erp, F. Tomasi, A. Gangemi, Icon: An ontology for comprehensive artistic interpretations, *J. Comput. Cult. Herit.* 16 (2023). URL: <https://doi.org/10.1145/3594724>. doi:10.1145/3594724.

Thanks

Questions?